Notice of Allowability	Application No.	Applicant(s)
	10/665,709	REINDLE ET AL.
	Examiner	Art Unit
	Theresa T. Snider	1744
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amdt. of 1/16/2007</u> .		
2. The allowed claim(s) is/are 30-49 renumbered 1-19.		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements</li> </ul>		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🗌 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal Pa	etent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. X Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Date 7. ⊠ Examiner's Amendm	
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
	9.  Other	
•		
		·

Art Unit: 1744

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jay F. Moldovanyi on 3/19/2007.

The application has been amended as follows:

In the Claims

Claims 1-29, drawn to a non-elected invention, are canceled without prejudice to Applicant's right to file a divisional application.

Claim 49, line 3, --a vacuum source (36, 38), disposed within said housing, for creating a suction airflow to provide a vacuuming function for collection of dust and dirt particles;-- has been inserted after 'a housing;';

Line 4, 'the' has been replaced with --a--;

Line 8, 'the' has been replaced with --a--.

2. The following is an examiner's statement of reasons for allowance: the prior art discloses a vacuum cleaner with a housing, a suction airflow sensor, a sensor processor, a floor type sensor, a vacuum source and a controller processor HOWEVER fails to disclose or fairly suggest the floor type sensor in operative communication with the sensor processor for emitting sonic energy towards a floor and detecting sonic energy reflected by the floor, wherein the sensor processor interprets the detected sonic energy to identify a floor type, and initiates a

Art Unit: 1744

predetermined control procedure based on the floor type. The prior art discloses a vacuum cleaner with a housing, a vacuum source, a floor distance sensor and a drive motor HOWEVER fails to disclose or fairly suggest the floor distance sensor in operative communication with a sensor processor for emitting light energy toward a surface and detecting light energy reflected by the floor, wherein the sensor processor compares the detected light energy to a predetermined threshold and when the light energy is less that the predetermined threshold, stops the drive motor.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Theresa T. Snider whose telephone number is (571) 272-1277.

The examiner can normally be reached on Monday-Friday (5:30am-2:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gladys Corcoran can be reached on (571) 272-1214. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

THERESAT. SNIDER PRIMARY-EXAMINER

Theresa T. Snider Primary Examiner Art Unit 1744

3/19/07